

ADDENDUM NO. 1

NAME: (TNH034-2015)-Arborists' Services

DATE: August 4, 2015

TO: All Prospective Bidders

This amendment is being issued to answer questions concerning the above bid:

- 1) We are inquiring about a bid posting for arborist services. Is there a sample report sheet that the arborist would be filling out and submitting, if so can you please forward that sheet to us.
Answer: We are issuing an addendum to the bid, addendum 1 with a sample of a tree report. To download it, please visit the website below
www.northhempsteadny.gov, click on the **Working** Tab, Bid Solicitations, 2015

- 2) Also, we are interested in reviewing the bid results from the last time this service went out to bid.
Prior bid results for this service, you can foil them by contacting 516-869-7600, and ask for bid results for TNH028-2010.

ADDENDUM NO.1 RECEIPT ACKNOWLEDGEMENT FORM

Bid – (TNH034-2015)- Arborists' Services

By signing this Acknowledgement and submitting same with its Bid submission, the undersigned Bidder acknowledges receipt of this Addendum No. 1. Bidder further acknowledges that it has read and reviewed the information contained herein, understands same, and that its questions, if any presented, have been answered satisfactorily. Bidder agrees that it shall incorporate/consider the information contained in this Addendum No. 1 in preparing and providing its bid price. In addition, this Addendum No.1 Receipt Acknowledgement Form must be signed and dated and attached to the bid submittal.

Signature: _____

Company Name: _____

Bidder Acknowledgement Date: _____

Print & Sign Company Principal Name & Title: _____

		District:	Tree No.:

Arborist Assessment Report Location: 54 Morris Drive on Herbert Drive

Inspector: DF, CV, MB Weather: sunny Section/Block/Lot: Time: 12:45

Specimen: Common Name: Zelkova Serrata Scientific name: Japanese zelkova

Descriptor	Value	Range
Girth	18.5"	Trunk Diameter Measured at Breast Height (DBH)
Approx. Height	40'	Approximate Height to top of Canopy
Canopy	18'	Canopy Radius in Feet - North South East West
Condition	4	Health of Specimen - 1 Dead - 2 Declining - 3 Moderate - 4 Good - 5 Excellent
Approx. Age	M	NP=Newly Planted Within 5yrs M=Moderate 10-20 yrs old E=Existing before development

Tree/Root Base/Pit

Trunk Condition and Main Scaffold Branches

Crown/Structure, Branches & Leaves Power lines running through tree crown, multi-branch.

Pest / Disease

Setting Residential

Character Yes Does the tree make an important contribution to the character or amenity of the area?

Exotic Is the tree indigenous, rare, endangered, invasive or exotic?

Habitat Yes Does the tree represent important habitat for native fauna?

No Is the tree part of a wildlife Corridor, Buffer, etc?

Notes:

Recommendations: Pruning of limbs near sidewalk and power lines.

Level of Urgency

Urgency Level: 1 - Requires Immediate Attention 2 - Within (1) Month 3 - Within (6) Months 4 - Within the year 5 - None

4

