

TNH009-2019 Sign Blanks		AllMac Signs	Big Apple Visual Group	Garden state Highway Products	Osburn Associates	US Standard Sign	Vulcan Aluminium
		10 Captain Scott Road	247 West 35th Street	301 Riverside Drive	11931 State Route 93N	11400 W. Addison Ave.	400 E. Berry Ave.
		Harwich, MA 02645	New York, NY 10001	Milville, NJ 08332	Logan, OH 43138	Franklin Park, IL 60131	Foley, AL 36535
		800-749-4843	631-881-5001	856-692-7572	800-523-8917	847-447-2234	888-846-2745
	Gmmcmahon3@comcast.net	mehul@bigapplegroup.com	sharon@gshpinc.com	robj@osburns.com	Sean@usstandardsign.com	Vulcan1@vulcaninc.com	
Item	Item Description	Price	Price	Price	Price	Price	Price
	ALL SIGN BLANKS SHALL BE 5052-H38 ALUMIINUM ALLOY, .080 GAUGE WITH ALODINE FINISH AND RADIUS CORNERS. RADIUS CORNERS SHALL BE DETERMINED BY THE SIZE OF THE BLANK						
1}	6" X 12" -NO HOLES , FLAT BLANKS	1.75	1.50	2.38	1.69	1.83	1.78
2}	6" X 18" -NO HOLES , FLAT BLANKS	1.93	2.25	2.72	2.54	2.61	2.50
3}	6" X 24" -NO HOLES , FLAT BLANKS	2.57	3.00	3.61	3.38	3.09	3.21
4}	8" X 12" -NO HOLES , FLAT BLANKS	1.80	2.00	2.53	2.25	2.42	2.39
5}	8" X 18" -NO HOLES , FLAT BLANKS	2.70	3.00	3.76	3.38	3.44	3.33
6}	8" X 24" -NO HOLES , FLAT BLANKS	3.60	4.00	4.98	4.51	4.41	4.33
7}	8" X 30" -NO HOLES , FLAT BLANKS	4.29	5.00	6.23	5.63	5.13	5.42
8}	8" X 36" -NO HOLES , FLAT BLANKS	5.15	6.00	7.47	6.76	5.84	6.47
9}	8" X 42" -NO HOLES , FLAT BLANKS	6.01	7.00	8.72	7.89	6.84	7.36
10}	9" X 20" - NO HOLES , FLAT BLANKS	3.21	3.35	4.41	4.23	4.72	3.98
11}	9" X 24" - NO HOLES , FLAT BLANKS	3.85	4.50	5.30	5.07	4.40	4.77
12}	9" X 30" - NO HOLES , FLAT BLANKS	4.81	5.65	6.63	6.34	5.29	5.85
13}	9" X 36" - NO HOLES , FLAT BLANKS	5.77	6.75	7.96	7.61	6.33	7.26
14)	9" X 42" - NO HOLES , FLAT BLANKS	6.73	7.90	9.28	8.86	7.68	8.59
15)	12" X 12" - NO HOLES , FLAT BLANKS	2.57	3.00	3.43	3.38	3.32	3.25
16)	12" X 22" - NO HOLES , FLAT BLANKS,NO RADIUS	4.71	5.50	6.17	6.20	8.04	5.86
17)	12" x 18" - 2 HOLES , TOP & BOTTOM ,WITH	5.87	22.50	6.78	8.31	No Bid	No Bid
	WHITE ENGINEER GRADE PRISMATIC SCOTCHLITE						
18)	12" X 24" - NO HOLES , FLAT BLANKS	5.14	6.00	6.73	6.76	5.62	6.39
19)	12" X 30" - NO HOLES , FLAT BLANKS	6.42	7.50	8.41	8.45	7.03	8.01
20)	12" X 36" - NO HOLES , FLAT BLANKS	7.70	9.00	10.09	10.14	8.44	9.60
21)	12" X 42" -NO HOLES , FLAT BLANKS	8.98	10.50	11.77	11.83	10.24	11.04
22)	12" x 48" - NO HOLES , FLAT BLANKS	10.26	12.00	13.44	13.52	11.26	12.63
23)	18" x 24" - 2 HOLES, TOP AND BOTTOM, FLAT BLANKS	7.70	15.00	10.09	10.14	8.44	9.55
24)	18" X 24" FLAT BLANKS WITH NO HOLES	7.70	9.00	10.09	10.14	8.44	9.55
25)	18" x 30" - 2 HOLES, TOP AND BOTTOM, FLAT BLANKS	9.64	18.75	12.60	12.68	10.56	11.94
26)	18" x 36" - NO HOLES , FLAT BLANKS	11.57	13.50	15.12	15.21	12.68	14.28
27)	24" X 24" -4 HOLES SQUARE & DIAMOND	10.12	24.00	13.44	13.52	11.26	12.60
28)	24" X 30" - 2 HOLES TOP AND BOTTOM	12.65	30.00	16.80	16.90	14.09	15.60
29)	24" X 36" - 2 HOLES TOP AND BOTTOM	15.18	36.00	20.16	20.28	16.88	18.84
30)	30" x 30" -4 HOLES SQUARE AND DIAMOND	15.81	37.50	20.98	21.13	17.59	19.71
31)	30" x 36" -4 HOLES	18.97	45.00	25.20	25.35	21.12	23.76
32)	30" x 42" -	22.13	52.50	29.40	29.58	26.60	27.66
33)	36" x 48" - 4 HOLES	25.29	72.00	30.24	40.56	33.79	37.65
34)	24" X 24" - OCTAGON , 2 HOLES TOP & BTM	9.82	24.00	12.09	13.52	10.68	11.00
35)	30" X 30 " - OCTAGON , 2 HOLES TOP & BTM	15.34	37.50	18.03	21.13	16.69	17.51
36)	24" YIELD BLANK 2 HOLES TOP & BTM	5.35	24.00	7.59	9.30	6.57	6.33
37)	30" YIELD BLNAK 2 HOLES TOP & BTM	8.36	56.25	12.06	12.68	10.04	10.28

TNH009-2019 Sign Blanks		AllMac Signs	Big Apple Visual Group	Garden state Highway Products	Osburn Associates	US Standard Sign	Vulcan Aluminium
		10 Captain Scott Road	247 West 35th Street	301 Riverside Drive	11931 State Route 93N	11400 W. Addison Ave.	400 E. Berry Ave.
		Harwich, MA 02645	New York, NY 10001	Milville, NJ 08332	Logan, OH 43138	Franklin Park, IL 60131	Foley, AL 36535
		800-749-4843	631-881-5001	856-692-7572	800-523-8917	847-447-2234	888-846-2745
Gmmcmahon3@comcast.net	mehul@bigapplegroup.com	sharon@gshpinc.com	robi@osburns.com	Sean@usstandardsign.com	Vulcan1@vulcaninc.com		
Item	Item Description	Price	Price	Price	Price	Price	Price
	PLEASE INCULDE A PRICE FOR .100 GAUGE #38-#53						
38)	8" X 20" - NO HOLES , FLAT BLANKS	3.56	9.00	5.04	4.83	6.08	4.42
39)	8" X 24" - NO HOLES , FLAT BLANKS	4.27	11.00	4.83	5.80	5.34	5.34
40)	8" X 30" - NO HOLES , FLAT BLANKS	5.34	13.50	6.03	7.25	6.10	6.29
41)	8" X 36" - NO HOLES , FLAT BLANKS	6.41	16.00	7.23	8.70	7.31	8.00
42)	8" X 42" - NO HOLES , FLAT BLANKS	7.48	18.75	8.45	10.15	8.87	9.08
43)	8" X 48"- NO HOLES , FLAT BLANKS	8.55	21.50	9.65	11.60	9.75	10.52
44)	9" X 20" - NO HOLES , FLAT BLANKS	4.01	10.00	4.45	5.44	6.42	5.14
45)	9" X 24" - NO HOLES , FLAT BLANKS	4.81	12.00	5.34	6.53	5.71	5.98
46)	9" X 30" - NO HOLES , FLAT BLANKS	6.01	15.00	6.68	8.16	6.86	7.34
47)	9" X 36" - NO HOLES , FLAT BLANKS	7.21	18.00	7.98	9.79	8.23	8.98
48)	9" X 42" - NO HOLES , FLAT BLANKS	8.41	21.00	9.34	11.40	9.98	10.61
49)	12" X 24" - NO HOLES , FLAT BLANKS	6.42	16.00	6.73	8.70	7.31	7.91
50)	12" X 30" - NO HOLES , FLAT BLANKS	8.03	20.00	8.41	10.88	9.14	9.36
51)	12" X 36" - NO HOLES , FLAT BLANKS	9.64	24.00	10.09	13.05	10.98	11.90
52)	12" X 42" -NO HOLES , FLAT BLANKS	11.25	28.00	11.77	15.23	13.30	13.71
53)	12" x 48" - NO HOLES , FLAT BLANKS	12.86	32.00	13.44	17.40	14.65	15.68
	EXTRUDED						
54)	6" X 20" - EXTRUDED ALUMINUM BLANKS	4.12	7.00	4.51	5.20	4.72	4.02
55)	6" X 24" - EXTRUDED ALUMINUM BLANKS	4.94	8.00	5.42	6.24	5.47	4.81
56)	6" X 30" - EXTRUDED ALUMINUM BLANKS	6.17	10.00	6.77	7.80	6.84	6.03
57)	9" X 20" -EXTRUDED ALUMINUM BLANKS	4.54	10.00	6.26	7.80	6.37	5.65
58)	9" X 24" -EXTRUDED ALUMINUM BLANKS	5.45	12.00	7.51	9.36	7.38	6.77
59)	9" X 30" - EXTRUDED ALUMINUM BLANKS	6.81	15.00	9.39	11.70	9.23	8.46
60)	9" X 36" - EXTRUDED ALUMINUM BLANKS	8.17	18.00	11.26	14.04	11.09	10.14
61)	9" X 42" - EXTRUDED ALUMINUM BLANKS	9.53	21.00	13.14	16.35	12.94	11.91
62)	9" X 48" -EXTRUDED ALUMINUM BLANKS	10.89	24.00	15.02	18.72	14.76	13.51
63)	CAPS FOR 3 " ROUND POST FOR EXTRUDED	8.15	No Bid	7.67	No Bid	No Bid	No Bid
64)	6" BLADE HOLDER, METRO 808EX	3.75	No Bid	8.24	No Bid	No Bid	No Bid
65)	90 DEGREE CROSS FOR EXTRUDED 6" BLADE HOLDER	3.35	No Bid	4.94	5.25 (5 1/2")	No Bid	No Bid
66)	45 DEGREE CROSS FOR EXTRUDED 6" BLADE HOLDER	3.35	No Bid	7.92	5.25 (5 1/2")	No Bid	No Bid
67)	4 X 8 SHEETS OF 0.40 WHITE ALUMINUM	No Bid	75.00	72.98	No Bid	52.21	No Bid
68)	4 X 8 SHEETS OF 0.40 COLORED ALUMINUM	No Bid	90.00	77.21	No Bid	No Bid	No Bid
69)	4 X 8 SHEETS OF 0.63 WHITE ALUMINUM	123.28	110.00	111.53	No Bid	82.23	No Bid
70)	4 X 8 SHEETS OF 0.63 COLORED ALUMINUM	No Bid	130.00	117.69	No Bid	No Bid	No Bid
71)	30 X 30 ALUMINUM SCHOOL CROSSING BLANKS	15.49	No Bid	17.71	21.13	17.34	16.57
72)	HEAVY DUTY IMPACT RESISTANT BARRICADE A - FRAME- DESIGNED FOR ONE OR TWO I BEAM PANELS , .	No Bid	No Bid	18.38	No Bid	No Bid	No Bid
	A - FRAMES ONLY :						
73)	90 DEGREE FLAT CROSS PC. 12" SLOT	7.95	No Bid	8.98	9.25	No Bid	No Bid

TNH009-2019 Sign Blanks		AllMac Signs	Big Apple Visual Group	Garden state Highway Products	Osburn Associates	US Standard Sign	Vulcan Aluminium
		10 Captain Scott Road	247 West 35th Street	301 Riverside Drive	11931 State Route 93N	11400 W. Addison Ave.	400 E. Berry Ave.
		Harwich, MA 02645	New York, NY 10001	Milville, NJ 08332	Logan, OH 43138	Franklin Park, IL 60131	Foley, AL 36535
		800-749-4843	631-881-5001	856-692-7572	800-523-8917	847-447-2234	888-846-2745
	Gmmcmahon3@comcast.net	mehul@bigapplegroup.com	sharon@gshpinc.com	robi@osburns.com	Sean@usstandardsign.com	Vulcan1@vulcaninc.com	
Item	Item Description	Price	Price	Price	Price	Price	Price
74)	45 DEGREE UNIVERSAL RPB457F	2.45	No Bid	3.36	4.35	No Bid	No Bid
75)	45 DEGREE UNIVERSAL RPB457X	2.45	No Bid	3.36	4.35	No Bid	No Bid
76)	2 3/8" ROUND CAP FLAT 12"	7.95	No Bid	8.98	9.25	No Bid	No Bid
77)	2X3 ADAPTER CAPS	4.45	No Bid	7.92	16.80	No Bid	No Bid
78)	W800 METRO WING BRACKET (PLAIN FINISH)	21.45	No Bid	16.67	15.25	No Bid	No Bid
79)	011-GSI-3FC-12 FLAT CAP FOR 3" ROUND POST	8.15	No Bid	12.64	14.20	No Bid	No Bid
80)	011-GSI-3EX-12" EXTRUDED CAP FOR 3" ROUND POST	8.15	No Bid	12.64	14.20	No Bid	No Bid
81)	011-GSI-3FC 18" FLAT CAP FOR 3" ROUND POST	8.15	No Bid	28.41	No Bid	No Bid	No Bid
82)	011-GSI-3EX-18" EXTRUDED CAP FOR 3" ROUND POST	8.15	No Bid	28.41	No Bid	No Bid	No Bid
83)	90 FCRS-12" CROSS	7.95	No Bid	8.98	9.25	No Bid	No Bid
84)	90 FCRS-18" CROSS	No Bid	No Bid	34.30	52.08	No Bid	No Bid
85)	90 EXCRS -12" CROSS	7.95	No Bid	8.98	9.25	No Bid	No Bid
86)	90 EXCRS -18" CROSS	No Bid	No Bid	34.30	52.08	No Bid	No Bid
87)	RH3425SS SS Strapping	No Bid	No Bid	37.33	No Bid	No Bid	No Bid
88)	RHMODEL1 Strap Cutter	No Bid	No Bid	51.20	No Bid	No Bid	No Bid
89)	RHMODEL1 Ratchet Type Strapping Tool	No Bid	No Bid	108.42	No Bid	No Bid	No Bid
90)	RHPLUS4SS (100) Per Box	No Bid	No Bid	124.67/box of 100	No Bid	No Bid	No Bid
91)	RHMINUS4SS (100) Per Box	No Bid	No Bid	124.67/box of 100	No Bid	No Bid	No Bid
92)	RH06SS Wing Seal	No Bid	No Bid	26.40/box of 100	49.26/box of 100	No Bid	No Bid
93)	RH365SS Buckle	No Bid	No Bid	31.42/box of 100	52.56/box of 100	No Bid	No Bid
94)	RHSLA Snap Lock Assembly 9/16" x 40"	No Bid	No Bid	4.52	No Bid	No Bid	No Bid
95)	RH7 Jack Base and Heavy Duty Handle (Puller not included)	No Bid	No Bid	292.60	No Bid	No Bid	No Bid
96)	RH4A Post Puller	105.00	No Bid	137.26	No Bid	No Bid	No Bid
97)	RH4AA Post Puller	112.00	No Bid	149.96	No Bid	No Bid	No Bid
98)	RH516SS 5/16" x 18 x3/4" Stainless Steel Bolt	No Bid	No Bid	0.16	No Bid	No Bid	No Bid
99)	RHDH8 One Man Post Driver 65" 38lbs.	175.00	No Bid	174.25	No Bid	No Bid	No Bid
100)	RH8SS 5/16" Stainless Steel Nut	No Bid	No Bid	0.12	0.08	No Bid	No Bid
	REFLECTIVE ROLL UP SIGNS WITH LETTERING						
101)	36 X 36 Roll up sign shall be fabricated using 3M Diamond Grade Reflective material only. Construction roll up signs shall have Lexan Pockets and must use a Duralatch Cross Brace which also must be included in the price Part # GSI150-36RRS-WCB	No Bid	No Bid	136.20	115.80	No Bid	No Bid
102)	Stand Only Folded Dimension: 2'2" x 7.50" x 6.50" Deployed Height: 6'5" Sign Height: 12" Shipping Weight: 21 LBS.Aircraft aluminum uprights & steel legs. Rubber caps on legs for extra traction. Steel base and springs specially coated to withstand 500 hours of salt spray 12" distance of 48" signface from ground, Steel, to be used with a rollup sign, deployed height 6'5" Part #GSI-150-CAM40	No Bid	No Bid	133.60	127.06	No Bid	No Bid